

L Number	Hits	Search Text	DB	Time stamp
-	1	hash\$3 same compensat\$3 same index same ((network near3 address) with packet)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 15:20
-	0	(hash\$3 same compensat\$3 same index same ((network near3 address) with packet)) and @ad<20010216	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 15:21
-	1	hash\$3 same compensat\$3 same ((network near3 address) with packet)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 15:29
-	78	hash\$3 same compensat\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 15:21
-	9	hash\$3 same compensat\$3 same network	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 15:25
-	3	(hash\$3 same compensat\$3 same network) and @ad<20010216	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 15:25
-	6	hash\$3 same compensat\$3 same packet	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 15:25
-	2	(hash\$3 same compensat\$3 same packet) and @ad<20010216	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/20 14:26
-	576	hash\$3 same table same (overflow or collision)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/20 08:42
-	1	hash\$3 same table same (overflow or collision) same ((network near3 address) with packet)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 15:29
-	44	hash\$3 same table same (overflow or collision) same network	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 15:29
-	31	(hash\$3 same table same (overflow or collision) same network) and @ad<20010216	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/20 08:29
-	202	(compensat\$3 or (multi\$3 near3 set near3 cache)) same address same packet	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/20 08:28
-	9	(compensat\$3 or (multi\$3 near3 set near3 cache)) same address same packet same (collision or overflow)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/20 08:29

-	8	((compensat\$3 or (multi\$3 near3 set near3 cache)) same address same packet same (collision or overflow)) and @ad<20010216	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/20 08:43
-	38	hash\$3 same (table with cache) same (overflow or collision)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/20 08:43
-	31	(hash\$3 same (table with cache) same (overflow or collision)) and @ad<20010216	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/20 09:34
-	1142	(709/245).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/20 09:32
-	97	((709/245).CCLS.) and (lookup with (table or cache))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/20 10:58
-	18	((709/245).CCLS.) and (lookup with (table or cache) same hash\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/20 09:34
-	11	((709/245).CCLS.) and (lookup with (table or cache) same hash\$3)) and @ad<20010216	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/20 10:25
-	6	((709/245).CCLS.) and (valid\$3 with table with directory)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/20 10:25
-	5	((709/245).CCLS.) and (valid\$3 with table with directory)) and @ad<20010216	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/20 10:42
-	2	((709/245).CCLS.) and (set adj associative adj cache)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/20 10:42
-	0	((709/245).CCLS.) and (set adj associative adj cache)) and @ad<20010216	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/20 10:43
-	1863	set adj associative adj cache	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/20 10:42
-	11	(set adj associative adj cache) same (overflow or collision)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/20 10:43
-	5	((set adj associative adj cache) same (overflow or collision)) and @ad<20010216	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/20 10:56

-	1	((709/245).CCLS.) and (compensat\$3 with overflow)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/20 10:56
-	0	((709/245).CCLS.) and (compensat\$3 with overflow)) and @ad<20010216	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/20 10:59
-	892	compensat\$3 with overflow	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/20 10:56
-	7	((709/245).CCLS.) and ((save or store) with overflow)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/20 10:59
-	5	((709/245).CCLS.) and ((save or store) with overflow)) and @ad<20010216	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/20 12:16
-	53	compensation adj index	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/20 12:15
-	43	(compensation adj index) and @ad<20010216	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/21 14:47
-	772	(711/144).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/20 14:25
-	224	((711/144).CCLS.) and (valid adj bit)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/20 14:25
-	42	((711/144).CCLS.) and ((valid adj bit) same table)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/20 14:26
-	30	((711/144).CCLS.) and ((valid adj bit) same table)) and @ad<20010216	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/20 14:38
-	1108	((711/206) or (711/207)).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/20 14:38
-	5128	translation adj table	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/20 14:37
-	298	(translation adj table) and ((711/206) or (711/207)).CCLS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/20 14:36

-	0	((711/206) or (711/207)).CCLS.) and ((translation adj table) same (best adj fit))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/20 15:02
-	38	((711/206) or (711/207)).CCLS.) and ((translation adj table) same predetermined)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/20 14:38
-	34	((711/206) or (711/207)).CCLS.) and ((translation adj table) same predetermined)) and @ad<20010216	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/20 14:42
-	21	((711/206) or (711/207)).CCLS.) or ((711/144).CCLS.) and ((valid adj bit) same (translation adj table))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/20 14:42
-	17	((711/206) or (711/207)).CCLS.) or ((711/144).CCLS.) and ((valid adj bit) same (translation adj table))) and @ad<20010216	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/20 14:54
-	3	best adj fit adj directory	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/20 14:54
-	1	(best adj fit adj directory) and @ad<20010216	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/20 15:03
-	2	((711/206) or (711/207)).CCLS.) and ((translation adj table) same best)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/20 15:03
-	2	((711/206) or (711/207)).CCLS.) and ((translation adj table) same best)) and @ad<20010216	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/20 15:04
-	83	validity adj table	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/20 15:04
-	6	(validity adj table) with address	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/20 15:04
-	3	((validity adj table) with address) and @ad<20010216	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/20 15:49
-	504	(improve near3 (hit adj rate))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/20 15:49
-	18	(improve near3 (hit adj rate)) same table	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/20 15:49

-	16	((improve near3 (hit adj rate)) same table) and @ad<20010216	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/20 15:49
-	873	(simultaneous\$ or concurrent\$2 or parallel) with index with generat\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/21 14:47
-	16	(simultaneous\$ or concurrent\$2 or parallel) with index with generat\$3 with hash	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/21 14:47
-	8	((simultaneous\$ or concurrent\$2 or parallel) with index with generat\$3 with hash) and @ad<20010216	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/21 14:47